

















# DOOR HARDWARE LOCKING

# A15













PART	PART NO.	DESCRIPTION	FINISH		
			CLEAR ANODIZED	BRONZE ANODIZED	
	1850	M.S. LOCK 31/32 OR 1-1/8 BACKSET			
	1850-20	SHORT THROW 31/32 OR 1-1/8 BACKSET			
	1850-50	M.S. HOOK LOCK 31/32 OR 1-1/8 BACKSET			
	4510 LH-RH	HEAVY DUTY LATCHLOCK 31/32 OR 1-1/8 BACKSET			
	FP13(LH) FP14(RH)	BEVELED FACEPLATE			
	FP15	RADIUS FACEPLATE WITH WEATHERING			
	FP33(LH) FP34(RH)	LATCHLOCK BEVELED FACEPLATE			
	FP35	LATCHLOCK RADIUS FACEPLATE			
	DC860 DC861	FLUSHBOLT - WEATHERED STILE			
	LS01	STANDARD STRIKE FOR LATCHLOCK FLAT OR RADIUS			
	LS02	REVERSIBLE STRIKE USED WHEN REPLACING M.S. LOCK FLAT OR RADIUS			
	555	RIM CYLINDER			
	MC701	STANDARD CYLINDER			
	2253	THUMBTURN			
	2254	DUMMY CYLINDER			
	W10	DOOR ASTRAGAL COMPLETE WITH MOHAIR			



providing innovative solutions that meet client needs.

# DOOR HARDWARE EXIT DEVICES

# A16















PART	PART NO.	DESCRIPTION	FINISH		
			CLEAR ANODIZED	BRONZE ANODIZED	
	8400	ADAMS RITE 8400 SERIES MORTISE PANIC FOR USE WITH LATCH LOCK			
	8600	ADAMS RITE 8600 SERIES CONCEALED VERTICAL ROD PANIC			
	8800	ADAMS RITE 8800 SERIES RIM PANIC			
	3890	REMOVABLE MULLION FOR RIM PANIC			
	8650	ESCUTCHEON PAD FOR CONCEALED VERTICAL ROD PANIC			
	7100	ADAMS RITE ELECTRIC STRIKE 24V AC / 12V DC INTER. DUTY FAIL SECURE			
	7400	ADAMS RITE NARROW PROFILE ELECTRIC STRIKE 12V AC / 24V DC FAIL SAFE / FAIL SECURE			
	4603	RECTIFIER (2 AMP) CONVERTS LOW VOLTAGE AC CURRENT TO DC OF SAME VOLTAGE			
	31-044-07 31-044-05	SOLENOID 24VDC CONTINUOUS DUTY 24VAC-12VDC INTERMITTENT DUTY			
	4590 LH-RH	PADDLE HANDLE AND CAM PLUG			
	4560 LH-RH	LEVER HANDLE AND CAM PLUG			
	4565	THUMB LEVER AND CAM PLUG			



providing innovative solutions that meet client needs.

# DOOR HARDWARE CLOSERS

# A17

















PART	PART NO.	DESCRIPTION	FINISH		
			CLEAR ANODIZED	BRONZE ANODIZED	
	1064	STANDARD CLOSER WITH BACKCHECK FUNCTION NON HANDED			
	1065	EXTRA DUTY CLOSER WITH BACKCHECK FUNCTION NON HANDED			
	DP64	<b>DROP PLATE FOR PARALLEL ARM MOUNTING</b>			
	DP64N	NARROW DROP PLATE FOR FRAME MOUNTING			
	AE1064	ARM EXTENSION FOR 1064 / 1065 CLOSER			
	625	PARALLEL ARM BRACKET FOR 1064 / 1065 CLOSER			
	4040	GRADE 1 SIZE ADJUSTABLE DOOR CLOSER C / W PARALLEL ARM BRACKET			
	4040-3049	HOLD OPEN ARM WITH ADJUSTABLE SHOE NON-HANDED STANDARD OR TOP JAMB INSTALLATION			
	4040-3077 EDA	PARALLEL ARM FOR HEAVY DUTY APPLICATIONS NON-HANDED			
	4040HC	ARM SUPPLIED WITH 4040HC			
	4040CNS	ARM SUPPLIED WITH 4040CNS			
	4040-18	4040 SERIES DROP PLATE FOR PULL SIDE NARROW STILE			
	4040-18G	4040 SERIES DROP PLATE FOR NO TRANSOM			
	4040-18J	4040 SERIES DROP PLATE FOR TRANSOM			



providing innovative solutions that meet client needs.

# DOOR HARDWARE HINGING AND THRESHOLDS

# A18










PART	PART NO.	DESCRIPTION	FINISH		
			CLEAR ANODIZED	BRONZE ANODIZED	
	4040-18PA	4040 SERIES DROP PLATE FOR PARALLEL ARM			
	179-C2G	4-1/2" X 4" BALL BEARING N.R.P. BUTT HINGE RADIUS CORNER			
	179-C32D	4-1/2" X 4" BALL BEARING STAINLESS STEEL N.R.P. BUTT HINGE RADIUS CORNER			
	9511	FRAME - 1/32 RECESSED			
	9512	BACKUP PLATE DOOR & FRAME - FLAT			
	2601 RH	WIDE TAB OFFSET PIVOTS  J2600 - 1/8 RECESS (J2500 - FLUSHMOUNT)			
	2602 LH				
	3101 RH	NARROW TAB OFFSET PIVOTS  J3100 - 1/8 RECESS			
	3102 LH				
	FM83	CONTINUOUS GEARED FULL - MORTISE ALUMINUM HINGE	2108mm(83")		
	FM95		OR 2413mm(95")		
	FS83	CONTINUOUS GEARED FULL - SURFACE ALUMINUM HINGE	2108mm(83")		
	FS95		OR 2413mm(95")		
		4" THRESHOLD			
		5" THRESHOLD			
		6" THRESHOLD			
		7" THRESHOLD			
		8" THRESHOLD			
		5" THERMALLY IMPROVED THRESHOLD			
		DOOR SWEEP			
	PF5	DOOR BULLNOSE POCKET FILLER	2134mm (84") STRIP		



providing innovative solutions that meet client needs.

# DOOR HARDWARE PUSH - PULLS

# A19

PART	PART NO.	DESCRIPTION	FINISH		
			CLEAR ANODIZED	BRONZE ANODIZED	
	30RD	CONCEALED OVERHEAD CLOSER C/W SIDE LOAD ARM AND BOTTOM CENTRE PIVOT			
	8853				
	2480	WALKING BEAM PIVOT			
	D1	DESA STANDARD 3/4" X 3/4" PUSH BAR C/W PUSHPLATE			
	D2	DESA STANDARD 11" PULL HANDLE			
	1180-2	12" OFFSET HANDLE 1" DIAMETER			
	5034-2	1" DIAMETER "D" PUSH BAR			
	D1-PP	DESA STANDARD 11" PUSH PLATE			
	D1-PB	DESA STANDARD 3/4" X 3/4" PUSH BAR			



providing innovative solutions that meet client needs.